

TECHNICAL DATA SHEET

100% Acrylic Polymer

RayCryl 2007 is an all-acrylic emulsion designed for interior and exterior primers. It has excellent adhesion to a wide range of substrates, including aged alkyds. Coatings formulated with **RayCryl 2007** have outstanding household stain blocking characteristics.

Key Features

- Excellent household stainblocking
- Outstanding adhesion and water resistance
- Enamel holdout
- Enhances efflorescence resistance

Typical Applications

- Architectural primer & undercoat
- Interior & exterior coatings
- EIFS & masonry coatings

RayCryl 2007 Typical Physical Properties*

Polymer Type	Acrylic
Weight (Solids %)	46%
Viscosity (Brookfield Model RVT)	570 cps, #3/100 rpm
pH	8.8
T _g (MDSC)	15° C
MFFT (ASTM D-2354)	< 0° C
Particle Size (Mean)	0.08 microns
Surfactant Charge	Anionic
Weight Gain per Gallon	8.7 lbs/gal
Freeze Thaw Stability	Do Not Freeze

* These properties are typical, but do not constitute specifications.

For more than 50 years, Specialty Polymers has been developing state of the art resins for the paint, coatings and adhesive industries. With more than 400 products to choose from, Specialty Polymers has the right polymer to meet your needs.